NEW!

Revolutionary design flexibility with Erickson one-fold


wall tables

24 MODELS TO CHOOSE FROM - SIX CABINET HEIGHTS, 3 TO 7 FEET




Here's the quality you get in each and every one of Erickson's 24 one-fold models: 1. Two steel channels under each bench and the table top, an Erickson exclusive, 2. Rugged, simple understructure, no unsightly knobs or projections to bump or tear, 3. Torsion and compression springing for one-step controlled folding and unfolding, 4. Bonded NEMA plastic tops and benches with 3/4" solid core material, 5. Sanitary benches never touch table tops, 6. Position locks -no teeter-totter when extended, no "surprise" openings when folded, 7. Walk-in ends, nothing to hurdle, 8. Pivot points in metal, can't pull out. Only Erickson offers the quality you want for long life, the flexibility you need for complete design freedom.

Look at this line-up! Check the cabinet heights. Check the model variations. And this is only part of the Erickson line!



SEE HOW THE ERICKSON TABLES NEST. Each table has its own track and its own guide wheels. Wheels move easily to the right track and a simple push puts the table exactly in place. Take out one table, or two, or all. The school gets flexibility, too. (Photo shows two portable models nested. Wall units nest flush in cabinets.)









ON THE WALL OR IN THE WALL. Cabinets may be recess-mounted in the wall to give you maximum floor area. If wall construction prevents recessing, they may be mounted on the wall. As both tables and benches are individually detachable, the initial cost of wall cabinets may actually result in long range economies.



NO.

GENERAL DIMENSIONS

E A)

BENCH DIMENSIONS

CABINET DIMENSIONS

	Length	Width of Table Tops With and Without Benches	Height Folded With Benches	Height Folded Without Benches	Top Height Unfolded	Width	Bench Height Unfolded	'C''' Depth	General "D" Height Front	"E" Height Back	With B "A" Width Front	enches "B" Width Back	Without "A" Width	Benches "B" Width
2912BRW	12'	30"	761/2"	771/4"	29"	52"	17"	71/2"	79"	78"	561/2"	523/4"	34"	311/2"
2712BRW	12'	30"	761/2	771/4"	27"	52"	15"	71/2"	79"	78"	561/2"	523/4"	34"	311/2"
2910BRW	10'	30"	641/2"	651/4"	29"	52"	17"	71/2"	67"	66"	561/2"	523/4"	34"	311/2"
2710BRW	10'	30"	641/2"	651/4"	27"	52"	15"	71/2"	67"	66"	561/2"	523/4"	34"	311/2"
298BRW	8′	30"	521/2"	561/2"	29"	52"	17"	71/2"	55"	54"	561/2"	523/4"	34"	311/2"
278BRW	8′	30"	521/2"	541/2"	27"	52"	15"	71/2"	55"	54"	561/2"	523/4"	34"	311/2"
297BRW	7'	30"	461/2"	54"	29"	52"	17"	71/2"	49"	48"	561/2"	523/4"	34"	311/2"
277BRW	7'	30"	461/2"	52"	27"	52"	15"	71/2"	49"	48"	561/2"	523/4"	34"	311/2"
296BRW	6'	30"	401/2"	515/8"	29"	52"	17"	71/2"	43"	42"	561/2"	523/4"	34"	311/2"
276BRW	6′	30"	401/2"	495/8"	27"	52"	15"	71/2"	43"	42"	561/2"	523/4"	34"	311/2"
RW 1 & 2	14'	30"	86"		29"	561/2"	17"	51/2"	89″	871/4"	61½"	59"	34"	311/2"

Note: On-Wall Tables have Model Numbers similar to Recess Models, except, for example, a 12 ft. table has Model No. 2912-80W, instead of 2912-8RW. For 14', use RW and OW.

Cabinet Dimensions for On-Wall Tables are the same as the following two dimensions given for the Recess Wall Cabinets: Width Front "A"; Width Back, same as front; and Depth "C". Cabinet depths are for single tables only. For nesting, multiply by number of tables desired.

SPECIFICATIONS

Minnesota.

OPERATION: Tables (and benches) shall fold and unfold from wall cabinet in a single operation with both folding and unfolding operations controlled through their cycles by a combination of torsion and compression springing. End legs shall be equipped with casters.

CONSTRUCTION: Top to be of 34" solid core material with NEMA Standard high pressure Melamine plastic 1/16" thick bonded to tops with plastic balancing sheet on the under-

side. (Tops of benches to be plastic covered with plastic balancing sheet on the underside.)

Color of tops (and Benches) shall be —. Specify number of tables desired in the color combination desired from the following: Yellow Plaid Top (with Charcoal Plaid Benches). . Turquoise Plaid Top (with Charcoal Plaid Benches). . Light Birch Top (with Charcoal Plaid Benches). . . Light Birch Top (with Light Birch Top (with Light Birch Benches.) (Other selections on special order.)

All edges of tops (and benches) trimmed with flush-type plastic T-molding with no exposed fastenings.

UNDERSTRUCTURE: Legs of 1" 14 gauge round steel tubing cold formed and jig welded. Table top shall have two 14 gauge channel steel frames of 11/2" (and benches shall each have two channel steel frames — outside

channel $23\%^{\prime\prime}$. . . inside channel $11/2^{\prime\prime}$). All metal parts finished with gray baked enamel applied by electrostatic process.

RECESS WALL CABINETS: To be of 16 gauge steel construction, complete with strap anchors welded to each side of cabinet. For Recess Wall installation make openings approximately 34" wider at top and sides and 1/2" more in depth than actual cabinet measurements.

Note: Lintels for cabinets to be supplied by others when required.

ON-WALL CABINETS: Same as Recess Wall cabinets except shall have finished sides and top to mount to existing walls.

FINISH: Recess Wall or On-Wall cabinets shall be supplied with prime coat, to be finished on job by others. ALL PARTS AND MATERIALS to be unconditionally quaranteed.

Note: Copy within the parentheses to be used when specifying tables with benches.

14' OPERATION

Tables shall be equipped with hydraulic cylinder for automatic and safe
opening. There shall be an opening
between table and bench tops to act
as safety space. Tables and benches
shall open with manual lock, and lock
automatically when folded to close
position. Unlocking shall be accomplished with special key wrench
through stile of cabinet with no openings in table top or bench tops. Both
tables and benches shall detach from
the cabinet. the cabinet.

Complete specifications, shop drawings and 20 page catalog available from nearest Erickson distributor or from Haldeman-Homme

DISTRIBUTORS

ALABAMA Bodine, Bryson & Rolling, Inc. 719 South 20th St., Birmingham

ARIZONA
PBSW Supply & Equipment Co.
530 West Washington St., Phoenix

ARKANSAS
All-Stote Supply Co., Inc.
1212 Eost 6th, Little Rock

CALIFORNIA
Perier-Silvermon
1489 Burlingame Ave., Burlingame

1489 Burlingame Ave., Burlingam COLORADO Horblit and Compony 2329 Champo St., Denver CONNECTICUT A. R. Kirschner Co. 315 Whitney, New Hoven G. H. Towne Co. 99 Ellison Pork, Waltham, Moss.

DELAWARE
Beitimore Stationery Co.
115 East Lombord, Boltimore, Md.

DISTRICT OF COLUMBIA
Boltimore Stotionery Co.
115 Eost Lombord, Boltimore, Md.

FLORIDA Florida School Furn. & Equip. Co. 5508 Broadway, West Polm Beach

GEORGIA E. L. Kizzioh Co. 1205 Dean St., Rome

The Coxton Printers Coldwell

ILLINOIS
Allied School Equipment, Inc.
417 E. Jefferson, Springfield

INDIANA

King Equipment Compony 340 W. Main St., Danville

Howa Haldeman-Homme Inc. 1104 High Street, Des Moines

KANSAS

Hoover Brothers, Inc. 1020 Oak St., Konsos City, Mo.

1020 Oak St., Konsos City, Mo.
KENTUCKY
Office Equipment Co.
117 South Fourth St., Louisville
LOUISIANA
School Products Co.
2920 Chartres St., New Orleans 17

MAINE

MAINE
Bay State Blockboard Co., Inc.
90 Concord, Belmont, Mass.
MARYLAND
Boltimore Stationery Co.
115 East Lombord, Baltimore

115 Eost Lombord, Baltimore
MASSACHUSETTS
G. H. Towne Co.
99 Ellison Pork, Walthom
MICHIGAN
Clossrooms, Inc.
2828 E. Grond River, Lansing
MINNESOTA
Holdemon-Homme Inc.
2580 University Ave., St. Paul 14

MISSISSIPPI
Mississippi School Supply Co.
116 East South, Jockson

MISSOURI

Hoover Brothers, Inc. (Western) 1020 Ook Şt., Konsos City

MONTANA Colborn School Supply Co. 27th and Minnesoto, Billings

NEBRASKA
Hoover Brothers, Inc.
1020 Oak St., Kansas City, Mo.

NEVADA
Armonko Office Supply Co.
152 N. Virginio St., Reno
NEW HAMPSHIRE and VERMONT
Mt. Kilburn Poper Co.
Bellows Folls, Vt.

NEW JERSEY
Atkins ond Company, Inc.
326 Brood St., Summit

NEW MEXICO
John Bornes Compony
730 Haines Ave., Albuquerque

EW YORK W. K. Souer Co. (Western) 745 Englewood, Kenmore School Equipment, Inc. (Eastern) 647 So. Worren, Syracuse Roy S. Snyder Co., Inc. 369 So. Central Ave., Hartsdale (Long Island and S. E. Counties) National Hoosital Supply Co., Inc. (New York City Public Schools) 38 Pork Row, New York City Checker Equipment Corp. (Institutional and Industrial) One Park Ave., New York City

NORTH CAROLINA
North Carolino Seating Co.
Box 6, Liberty

NDRTH DAKOTA Colborn School Supply Co. 202 DeMers, Grond Forks

HIO
Denny Supply Co. (Northern)
1092 Lexington Ave., Mansfeld
Condit Construction Products, Inc.
1026 W. Goodole Blvd., Columbus
Condit Construction Products, Inc.
(Southern)
2800 Eost 3rd, Doyton

OKLAHOMA Dowlings, Inc. 607 W. Grond Ave., Oklohomo City

OREGON
Guy V. Sweet Co., Inc.
105 E. 56th St., Seottle, Wash.

PENNSYLVANIA

Ploytime Equipment Co. (Western) Mors Equipment and Furniture Co., Inc. (Eostern) 100 West 3rd Ave., Conshohocken

RHODE ISLAND

G. H. Towne Co. 99 Ellison Pork, Waltham, Moss.

R. L. Bryan Co. 1440 Main St., Coumbia

SOUTH DAKOTA

Midwest-Beoch Company 233 North Phillips Ave., Sioux Folls

TENNESSEE Whittempre Products Co. (Central ond Eastern) 4012 Hillsborough, Nashville Toyloe Paper Co. (Western) 420 South Front St., Memphis

TEXAS

Sharp School Furn, and Equip. Co. 912 Brazos St., Austin

HATH

Lorick Specialties, Inc. 955 Folsom Ave., Solt Loke City

Brownson Equipment Co. 819 W. Brood St., Richmond 20

WASHINGTON

Guy V. Sweet Co., Inc. 105 E. 56th St., Seottle

WEST VIRGINIA Casto and Harris Spencer

WISCONSIN


ISCONSIN
Holdemon-Homme Inc. (Western)
2580 University Ave.,
S1, Poul, Minn.
Marshfield Book and Stationery Co.
(Central)
331 So. Central Ave., Marshfield
William L. Kittleberger (Eastern)
2708 South 44th S1., Milwaukee

WYOMING Colborn School Supply Co. (Western) 27th and Minnesota, Billings, Mont. Horblit and Company (Eastern) 2329 Champo St., Denver, Colo.

CANADA

ALBERTA AND SASKATCHEWAN Evons Engineering Soles, Ltd. 3628 Burnslond Rood, Colgory, Alto 10149 - 106 St., Edmonton, Alta. No. 7 Mitchell Bldg., Regino, Sosk.





Manufacturing Company

2580 University Ave. St. Paul 14, Minnesota

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Carol J. Dyson, AIA